


Design Features



Silverline Audio enthusiastically celebrates its 18th anniversary by presenting their latest loudspeaker, Ode to Joy. Ode to Joy is dedicated to the joy and love of music and life.

Ode to Joy is a more compact version of its larger sibling, Ode to Love, but shares the same design philosophies.

Ode to Joy is designed and engineered to reveal the natural beauty and the life of music. Our extensive accumulated experience in the integration of cabinet and crossover technologies, together with the use of superbly engineered Dynaudio transducers provide superior transparency and dynamics, while offering extremely refined music timbres and shadings. Dual woofers and mid-drivers are symmetrically precision-aligned around the tweeter to give the most coherent sound and precise imaging of any music source. The thickness of the cabinet ranges from 2.25" to 3", resulting in a rigid and effectively damped structure that provides a more open sound and rock-like stable imaging. The meticulously crafted cabinet together with dual 5" and 9.5" high power handling long throw transducers, are capable of moving mountain of air.

Specifications

Design:

Rear-ported
3 way

5 drivers each channel

Drivers: *

One piece of Esotar T330D 1.25" soft dome tweeter

Dual Esotec 15WLQ 5" mid range driver with 3" voice coil, double magnets and vented poles system ensures high power handling and superior heat dispersion. The mineral filled diaphragm and dust cap are molded as one piece for a more coherent, smooth and natural mid-range.

Dual 24W 100X long-throw 9.5" woofer with 4" voice coil, double magnets and vented poles system ensures extended high power handling and superior heat dispersion. The mineral filled diaphragm and dust cap are molded as one piece for a more coherent, precise and smooth frequency roll-off. The golden ratios used in the design contribute to what the industry has considered to be one of the "ultimate audiophile woofers".

Frequency Response:

24Hz - 32kHz (+/-) 3 dB

Nominal Impedance:

8 ohm

Crossover Frequency:

450 Hz/3.5 kHz

Recommended Power:

30 - 1.500 watts RMS

Sensitivity:

93 dB (+/- 3 dB)

Dimension (H x W x D):

52" x 11" x 16"

Minimum Rear Clearance:

18"

Weight:

220 lbs. each

Speaker Connections:

Bi-wire , accepts 3/16" spades and current regular banana plugs

Price:

US\$80,000/pair

Finishes:

Tigerwood veneer in piano finish

** extremely carefully made for Silverline Audio by Dynaudio.
Dynaudio is a trademark of Dynaudio A/S, Skanderborg, Denmark.*